

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3360	(347/101,104).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/08 09:53
L3	0	((insulat\$3 or rubber) with (conduct\$3 or metal) with (static) and (rod or roller or pole or feed\$3) with (static) with (eliminat \$3 or rid\$4 or transfer\$4) and print\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/07/08 09:53
L4	0	((insulat\$3 or rubber) with (conduct\$3 or metal) with (static) and (rod or roller or pole or feed\$3) with (static) and print\$3). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/07/08 09:53
S1	5534	"347"/\$3 and static	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/18 13:09
S2	32	("347"/\$3 or "346"/\$5 or "399"/\$5 or "400"/\$5) and (static or electricity) same (conduct\$3 with (roller or cylinder or cylindrical or rod)) same insulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 08:56
S3	16	("347"/\$3 or "346"/\$5 or "399"/\$5 or "400"/\$5) and (static) same (conduct \$3 with (roller or cylinder or cylindrical or rod)) same insulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 09:44

S4	27	("347"/\$3 or "346"/\$5 or "399"/\$5 or "400"/\$5 or "355"/\$5) and (static) same (conduct\$3 with (roller or cylinder or cylindrical or rod)) same insulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 09:44
S5	993	("347"/\$3 or "346"/\$5 or "399"/\$5 or "400"/\$5 or "355"/\$5) and (static) near (remov\$4 or eliminat \$3 or rid or eras\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 10:16
S6	24	("347"/\$3 or "346"/\$5 or "399"/\$5 or "400"/\$5 or "355"/\$5) and (static) near (remov\$4 or eliminat \$3 or rid or eras\$3) same (conduct\$3 same insulat \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 10:17
S7	14	"10081008" or "2002103584" or "200043243" or "2000289292" or "11005347" or "2002192714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 10:23
S8	5	S7 and (static)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 10:27
S9	1	1998-254985.NRAN.	DERWENT	AND	OFF	2008/12/19 10:30
S10	3	"2002103584"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 10:32
S11	2	"6930696".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 10:32
S12	2	"347"/\$3 and (metal near rod same rubber) same (roller\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 10:34

S13	4	"347"/\$3 and ((metal or conduct\$3) near rod same (rubber or resin or insulat\$4)) same (roller\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 10:36
S14	4	"2000043243"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 10:38
S15	1698	"347"/\$3 and (roller\$1 near3 material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 11:35
S16	98	"347"/\$3 and (roller\$1 near3 material\$1 with (metal or conduct\$3 or iron or nickel or copper or graphite) same (insulat\$3 or glass or teflon or plastic or rubber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/19 11:38
S17	4	"6724999".pn. or "6930696".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/12/21 16:52
S18	17	("10081008" "2000043243" "2000289292" "2002103584" "11005347" "2002192714")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 08:41
S19	3	"347"/\$3 and ((roller\$1 near3 material\$1 with (metal or conduct\$3 or iron or nickel or copper or graphite) same (insulat\$3 or glass or teflon or plastic or rubber))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 08:52
S20	311	((roller\$1 with (conduct\$3) with (insulat\$3))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 08:54

S21	36	((roller\$1 with (conduct \$3) with (insulat\$3))).clm. and print\$3.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 08:55
S22	1	10/530174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/07/08 09:06
S23	2	"6511156".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 12:42
S24	5	ink with dry\$4 with (mW/cm <sup>2</sup> or mW/cm <sup>2</sup> sup\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 12:44
S25	235	ink with (dry\$4 or curing or cure\$2 or irradiat\$4 or heat\$3) with (mW/cm <sup>2</sup> or mW/cm <sup>2</sup> sup\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 12:44
S26	3	"20040201659" and (mW/cm <sup>2</sup> or mW/cm <sup>2</sup> sup\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 12:49
S27	1	2004-595788.NRAN.	DERWENT	AND	OFF	2009/07/13 12:49
S28	2	"20020067394"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:01
S29	8	"20020067394" or "20040201659" or "20040099170"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:04

S30	3	S29 and solventless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:04
S31	15	"347"/\$3 and LED and (vinyl adj formamide or vinylformamide) and viscosit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:29
S32	15	"347"/\$3 and LED and (\$6vinyl adj formamide or \$5vinylformamide) and viscosit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:30
S33	15	"347"/\$3 and (led or diode) and (\$6vinyl adj formamide or \$5vinylformamide) and viscosit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:30
S34	15	"347"/\$3 and (led or diode) and (\$5vinyl adj formamide or \$5vinylformamide) and viscosit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:30
S35	15	"347"/\$3 and (led or diode) and (\$4vinyl adj formamide or \$4vinylformamide) and viscosit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:30
S36	0	(led or diode) and (\$5vinyl adj formamide or \$5vinylformamide) and viscosit\$4 with iknk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:31
S37	66	(led or diode) and (\$5vinyl adj formamide or \$5vinylformamide) and viscosit\$4 with ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:31

S38	66	(led or diode) and (\$5vinyl adj formamide or \$5vinylformamide) and viscosit\$4 with ink and viscosit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:32
S39	292	(\$5vinyl adj formamide or \$5vinylformamide) and viscosit\$4 with ink and viscosit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:33
S40	43	(\$5vinyl adj formamide or \$5vinylformamide) and viscosit\$4 with ink and viscosit\$4 and 347/100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:33
S41	2	"20040021753"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 13:35
S42	491	(rod or roller or pole or feed\$3) with (static) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/12/15 14:11
S43	5268	(rod or roller or pole or feed\$3) with (static) and print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/12/15 14:11
S44	1224	(rod or roller or pole or feed\$3) with (static) with (eliminat\$3 or rid\$4 or transfer\$4) and print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/12/15 14:12
S45	32	(insulat\$3 or rubber) with (conduct\$3 or metal) with (static) and (rod or roller or pole or feed\$3) with (static) with (eliminat\$3 or rid\$4 or transfer\$4) and print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/12/15 14:13

S46	2	(insulat\$3 or rubber) with (conduct\$3 or metal) with (static) wit (rod or roller or pole or feed\$3) with (static) with (eliminat\$3 or rid\$4 or transfer\$4) and print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/12/15 14:13
S47	15	(insulat\$3 or rubber) with (conduct\$3 or metal) with (static) with (rod or roller or pole or feed\$3) with (static) with (eliminat\$3 or rid\$4 or transfer\$4) and print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/12/15 14:13
S48	2	"2000225679"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/12/15 14:15
S49	0	((insulat\$3 or rubber) with (conduct\$3 or metal) with (static) and (rod or roller or pole or feed\$3) with (static) with (eliminat\$3 or rid\$4 or transfer\$4) and print\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/12/15 14:44
S50	3199	(347/101,104).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 14:46
S51	20	S50 and (static with eliminat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/12/15 14:46
S52	4	S50 and (static with eliminat\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/12/15 14:47

7/ 8/ 2010 9:59:57 AM

C:\ Documents and Settings\ Imartin1\ My Documents\ EAST\ Workspaces\ 10530174b.wsp